

PARTNER

CARE . TRUST . RESPONSIBILITY

KIOSK SOLUTIONS

INDOOR KIOSK SOLUTION | OUTDOOR KIOSK SOLUTION



WWW.PARTNER-TECH.EU

Model

Serie A



Bank



Bank Slim



Clean



View-LC



Screen Size

19"

19"

19"

32"

10"

PQI (Picture Quality Index)

200

200

200

200

200

Resolution (pixels)

1280X1024

1280x1024

1280x1024

1920X1080

1280x1024

Touch

PCT

PCT

PCT

PCT

PCT

Internal Speaker

In base of CPU configuration

In base of CPU configuration

In base of CPU configuration

In base of CPU configuration

In base of CPU configuration

Forced Ventilation System

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Easy On connection

USB connection, RJ45, AC I / O switch, Power connector

USB connection, RJ45, AC I / O switch, Power connector

USB connection, RJ45, AC I / O switch, Power connector

USB connection, RJ45, AC I / O switch, Power connector

USB connection, RJ45, AC I / O switch, Power connector

Color

RAL9016

RAL9016

RAL9016

RAL9016

RAL9016

Measures

1865 L x 610 W x 300 H

1528 L x 510 W x 456 H

1528 L x 510 W x 231 H

1865 L x 610 W x 300 H

1533 L x 600 W x 84 H

Weight

90KG

125KG

125KG

125KG

40KG

Optional

Other Individual peripherals can be integrated on a project basis
For Example: Scanner 1D/2D, industrial ticket printer, NFC reader, RFID Key dispenser, Passport reader, Industrial Keyboard, Webcam, Pin Pad, Signature Pad, Trackball

Model

Serie Q



View



View-W



Totem 32



Totem 49



Screen Size

49"

19"

21,5"

32"

49"

PQI (Picture Quality Index)

200

200

200

200

200

Resolution (pixels)

1920X1080

1280x1024

1920X1080

1920X1080

1920X1080

Touch

PCT

PCT

PCT

PCT

PCT

Internal Speaker

In base of CPU configuration

In base of CPU configuration

In base of CPU configuration

In base of CPU configuration

In base of CPU configuration

Forced Ventilation System

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Easy On connection

USB connection, RJ45, AC I / O switch, Power connector

USB connection, RJ45, AC I / O switch, Power connector

USB connection, RJ45, AC I / O switch, Power connector

USB connection, RJ45, AC I / O switch, Power connector

USB connection, RJ45, AC I / O switch, Power connector

Color

RAL9016

RAL9016

RAL9016

RAL9016

RAL9016

Measures

1865 L x 610 W x 300 H

1533 L x 600 W x 84 H

1533 L x 600 W x 841 H

1248 L x 906 W x 459 H

1314 L x 1249 W x 591 H

Weight

135KG

95KG

99KG

110KG

125KG

Optional


Other Individual peripherals can be integrated on a project basis
For Example: Scanner 1D/2D, industrial ticket printer, NFC reader, RFID Key dispenser, Passport reader, Industrial Keyboard, Webcam, Pin Pad, Signature Pad, Trackball

OUTDOOR

Outdoor 22



Outdoor 32



Outdoor 49



Model

Screen Size

21,5"

32"

49"

PQI (Picture Quality Index)

200

200

200

Resolution (pixels)

1920X1080

1920X1080

1920X1080

Touch

PCT

PCT

PCT

Internal Speaker

In base of CPU configuration

In base of CPU configuration

In base of CPU configuration

Forced Ventilation System

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Forced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Easy On connection

USB connection, RJ45, AC I / O switch, Power connector

USB connection, RJ45, AC I / O switch, Power connector

USB connection, RJ45, AC I / O switch, Power connector

Color

RAL9003

RAL9003

RAL9003

Measures

1700 L x 692 W x 215 H

1950 L x 604 W x 200 H

1950 L x 825 W x 250 H

Weight

95KG

125KG

145KG

Optional

Other Individual peripherals can be integrated on a project basis
For Example: Scanner 1D/2D, industrial ticket printer, NFC reader, RFID Key dispenser, Passport reader, Industrial Keyboard, Webcam, Pin Pad, Signature Pad, Trackball

OUTDOOR

Outdoor kiosks are an important part of open businesses. Providing customers with a convenient way to access information, purchase products or services. There are different types of outdoor kiosks: touch screen, non-touch screen and large format. Each type has its own unique benefits and features that make it perfect for certain applications.

Touch screen kiosks are perfect for providing customers with detailed information about a product or service. Their interactive design makes it easy for users to get all the information they need in a single place. Plus, their intuitive interface makes them easy to use, even for first-time users.

Non-touch screen kiosks are ideal for businesses that need to provide a lot of information to their customers. With a large display area, these kiosks can easily show off detailed product images or menus. Plus, they're tough enough to stand up to the elements, making them perfect for outdoor use.

Large format kiosks are perfect for businesses that want to make a big impression. With a 49" display area, these kiosks are sure to grab the attention of passersby. Plus, their sleek design makes them the perfect addition to any storefront.



S

T

A

N

Model

Table Stan 21



Stan 27



Stan 32



Screen Size

21,5"

27"

32"

PQI (Picture Quality Index)

200

200

200

Resolution (pixels)

1920X1080

1920x1080

1920X1080

Touch

PCT

PCT

PCT

Internal Speaker

In base of CPU configuration

In base of CPU configuration

In base of CPU configuration

Forced Ventilation System

Forced ventilation system,
3xAirFlow 21-37CFM / Axial ACForced ventilation system,
3xAirFlow 21-37CFM / Axial ACForced ventilation system,
3xAirFlow 21-37CFM / Axial AC

Easy On connection

USB connection, RJ45, AC I / O switch, Power connector

USB connection, RJ45, AC I / O switch, Power connector

USB connection, RJ45, AC I / O switch, Power connector

Color

RAL9016

RAL9016

RAL9016

Measures

676 L x 434 W x 272 H

1800 L x 500 W x 165 H

1865 L x 610 W x 300 H

Weight

30KG

60KG

75KG

Optional

Other Individual peripherals can be integrated on a project basis
 For Example: Scanner 1D/2D, industrial ticket printer, NFC reader, RFID Key dispenser, Passport reader, Industrial Keyboard, Webcam, Pin Pad, Signature Pad, Trackball

KIOSK HIGHLIGHT STAN

For versatile and durable: Kiosk Highlight Stan is the perfect fit. This kiosk is available in three different sizes to accommodate your needs and it comes with a wide range of configurations that make it ideal for your retail or hospitality businesses. With its sleek design, Stan looks great in any setting and its easy-to-use interface makes it the perfect for ticket check-out, e-commerce, information or payment points. Enjoy adapting your peripherals and color according your needs. So whether you need a dependable kiosk for your business or want a reliable way to keep the best service for your customers - our highlight Kiosk Stan is the perfect solution.



PARTNER TECH COMPANY

As a member of QISDA Group, Partner Tech Europe is the leading developer and producer of POS Solutions, POS Peripherals and Mobile Solutions. With their European headquarter based in Hamburg, Partner Tech has been operating since 1990, spreading their innovative technology worldwide. With their comprehensive variety of tools, from mobile ordering systems to compact all-in-one systems, the company is becoming an Intelligent Store Partner in today's globalizing world.

In cooperation with QISDA Group, Partner Tech Europe has extended their product range with cutting-edge technology, such as Digital Signage, In-Store Media, Process Optimization, Convenience Store Systems, aiming to be the best-practice provider for customers in retail, hospitality, and specialist stores.

Headquarter

Partner Tech Europe GmbH
Beim Umspannwerk 10, 22844 Norderstedt
Germany

Tel: +49 (0)40 450 635-0
Fax: +49 (0)40 450 635-2000
info@partner-tech.eu



info@partner-tech.eu



ptf-contact@partner-tech.eu



officepoland@partner-tech.eu



comercial@partner-tech.eu



prodaja@partner-tech.eu